Talenti

Parasolcollection
// Ermes

Finishing

Aluminium frame



white



dove



grahite

Cement base



white



dove



graphite

Waterproof fabric canopy



white



dark grey



dove



red



blue

Fabric for pouf



castle white



warm white

Features







1-Telo ø2.7 in tessuto da 260g in acrilico 100%.
2 - Sistema di apertura semplice ed intuitivo, spingere il cappello dell'ombrellone verso l'alto finché il meccanismo non si arresta. Perno di sicurezza per impedire la chiusura accidentale del cappello dell'ombrellone.
3 - Palo prolunga ombrellone disponibile in 2 misure 20 cm o 40 cm.
4 - Optional: copertura basamento in alluminio.
5 - Optional: illuminazione a batteria ricaricabile.
6 - Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.
7 - Optional: copertura basamento in alluminio ø63 cm x H 11 cm
Basamento in cemento (50 kg) con ruote.

Specifiche:
Palo in alluminio ø48 mm
24 Stecche in alluminio 6,3x10 mm
Telo UPF50+
Altezza ombrellone 263/283/303 cm
Palo prolunga ombrellone 20 cm o 40 cm
Basamento cemento 50 kg ø60x9 cm
Ruote a 360° H 80 mm
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

1- Canopy ø2.7 in 260g polyester with acrylic 100%.
2 - Easily parasol opening: push upwards the parasol cap until it locks. Safety pin to prevent the parasol cap from closing accidentally.
3 - Pole extension parasol available in 2 sizes 20 cm or 40 cm.
4 - Optional:aluminium base cover.
5 - Optional: parasol light with rechargeable battery.
6 - Optional: parasol bluetooth speaker with led lights.
7 - Optional: cover base in aluminium ø63 cm x H 11 cm
Concrete base (50 kg) with wheels.

Technical specifications:
Aluminium pole ø48 mm
No.24 aluminium ribs 6,3x10 mm
UPF50+ canopy
Parasol height 263/283/303 cm
Pole extension parasol 20 cm or 40 cm
Concrete base 50 kg ø60x9 cm
Wheels at 360° H 80 mm
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and person.

ERMES D2.7 / CODE: PARERM




KG 65,0 | unit 1+1 0.15 mc

Optional fabric canopy











ERMES POUF / CODE: PARERMPUF

KG 21,0 | unit 1 0.86 mc



	Width	Depth	Height	H. seat	H. cushion
cm	132	132	43	43	7
inch	51.9	51.9	16.9	16.9	2.7










2


3


4

5


6

Parasolcollection
// Eros

Finishing

Aluminium frame

A12 white

A13 dove

Waterproof fabric canopy

P1 white

Features

360°



3,5x3,5

optional

1-Telo 3,5x3,5 in tessuto da 250g in poliestere trattato in PU.
2-Optional: illuminazione a batteria ricaricabile.
3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
Apposite guide di scorrimento ne facilitano lo spostamento.
4-Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
Il palo girevole permette all'ombrellone di ruotare di 360°.
5-Basamento in acciaio di colore bianco 90x90 cm. Per una stabilità ottimale si consiglia l'utilizzo di n.8 piastre in graniglia 50x50x5cm (pesi non inclusi).
6-Optional: illuminazione con impianto audio per collegamento dispositivi bluetooth.

Specifiche:
Palo in alluminio 120x76 mm
7 Stecche in alluminio 20x35 mm
Telo UV80+
Altezza ombrellone 307 cm
Basamento in acciaio 90x90x12 cm
(Pesi non inclusi)
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

1-Canopy 3,5x3,5 in 250g polyester with PU coating.
2-Optional: umbrella lights with rechargeable battery.
3-Retractable opening system allows umbrella closure parallel to the pole.
Sliding guides make movements easier.
4-Canopy opening/closure with removable hand crank.
Turning pole allows parasol a 360° rotation.
5-Steel base in white colour 90x90cm. For a better stability we recommend you to use 8 grit plates 50x50x5cm (weights not included).
6-Optional: umbrella bluetooth speaker with led lights.

Technical specifications:
Aluminium Pole 120x76 mm
No.7 alu ribs 20x35 mm
UV80+ Canopy
Parasol height 307 cm
Steel base 90x90x12 cm
(weights not incluted)
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

EROS 3,5x3,5 / CODE: PARERO



KG 85,0 | unit 1+1 0.57 mc

P1 **A12** **P31** **A13**









Parasolcollection

// Zeus

Finishing

Aluminium frame

A10

anodized

Waterproof fabric canopy

P1

white

Features

360°

3x4

4x4

optional

1-Telo 3x4 o 4x4 in tessuto da 250g in poliestere trattato in PU.
2-Optional: illuminazione a batteria ricaricabile.
3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
Apposite guide di scorrimento ne facilitano lo spostamento.
4-Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
Il palo girevole permette all'ombrellone di ruotare di 360°.
Basamento in granito (180kg) con ruote.
5-Optional: illuminazione con impianto audio per collegamento dispositivi bluetooth.

Specifiche:
Palo in alluminio 120x76 mm
7 Stecche in alluminio 20x35 mm
Telo UV80+
Altezza ombrellone 300 cm
Basamento granito 180 kg 80x80x10 cm
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

1-Canopy 3x4 or 4x4 in 250g polyester with PU coating.
2-Optional: umbrella lights with rechargeable battery.
3-Retractable opening system allows umbrella closure parallel to the pole.
Sliding guides make movements easier.
4-Canopy opening/closure with removable hand crank.
Turning pole allows parasol a 360° rotation. Granite base (180kg) with wheels.
5-Optional: umbrella bluetooth speaker with led lights.

Technical specifications:
Aluminium Pole 120x76 mm
No.7 alu ribs 20x35 mm
UV80+ Canopy
Parasol height 300 cm
Granite base 180 Kg 80x80x10 cm
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

ZEUS 3x4 / CODE: PARZES-A

KG 228,0

unit 1+1+1+1
0.53 mc



P1 A10


ZEUS 4x4 / CODE: PARZES2-A

KG 240,0

unit 1+1+1+1
0.53 mc



P1 A10







Parasolcollection
// Athena

Finishing

Aluminium frame

A12 white
A13 dove
A14 graphite
A23 teak wood

Waterproof fabric canopy

P1 white
P31 dove
P12 dark grey

Features

360°
3x4
optional

1-Telo 3x4 in tessuto da 250g in poliestere trattato in PU.
2-Optional: illuminazione a batteria ricaricabile.
3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
Apposite guide di scorrimento ne facilitano lo spostamento.
4-Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
Il palo girevole permette all'ombrellone di ruotare di 360°.
5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.
6-Basamento in acciaio di colore bianco o tortora. Per una stabilità ottimale si consiglia l'utilizzo di n.10 piastre in graniglia 50x50x3,5cm (pesi non inclusi).

Specifiche:
Palo in alluminio 120x76 mm
7 Stecche in alluminio 20x35 mm
Altezza ombrellone 310 cm
Telo UV80+
Basamento in acciaio 55x133x20 cm
(Pesi non inclusi)
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

1-Canopy 3x4 in 250g polyester with PU coating.
2-Optional: umbrella lights with rechargeable battery.
3-Retractable opening system allows umbrella closure parallel to the pole.
Sliding guides make movements easier.
4-Canopy opening/closure with removable hand crank.
Turning pole allows parasol a 360° rotation.
5-Optional: umbrella Bluetooth speaker with led lights.
6-Steel base in white or dove colour. For a better stability we recommend you to use 10 grit plates 50x50x3,5cm (weights not included).


Technical specifications:
Aluminium Pole 120x76 mm
No.7 alu ribs 20x35 mm
Parasol height 310 cm
UV80+ Canopy
Steel base 55x133x20 cm
(weights not incluted)
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

ATHENA 3x4 / CODE: PARATH



KG 85,0 | unit 1+1 0.57 mc

P1 A23 | P1 A12 | P31 A13 | P12 A14













Talenti

Parasolcollection
// Venere

Finishing

Aluminium frame

A10 anodized

A14 graphite

Waterproof fabric canopy

P1 white

P12 dark grey

Features

360°

50°

3x3

optional

1-Telo 3x3 in tessuto da 250g in poliestere trattato in PU.
2-Optional: illuminazione a batteria ricaricabile.
3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
Inclinabile fino a 50° su ambedue i lati.
Il palo girevole permette all'ombrellone di ruotare di 360°.
4-Basamento in granito (125 kg) con ruote.
5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.

Specifiche:
Palo in alluminio 90x65 mm
7 Stecche in alluminio 28x14 mm
Altezza ombrellone 280 cm
Telo UV80+
Basamento granito 125 kg 80x80x7 cm
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

1-Canopy 3x3 in 250g polyester with PU coating.
2-Optional: umbrella lights with rechargeable battery.
3-Retractable opening system allows umbrella closure parallel to the pole.
Canopy opening/closure with removable hand crank. Reclining up to 50° on both sides.
Turning pole allows parasol a 360° rotation.
4-Granite base (125 kg) with wheels.
5-Optional: umbrella Bluetooth speaker with led lights.

Technical specifications:
Aluminium Pole 90x65 mm
No.7 aluminium ribs 28x14 mm
Parasol height 280 cm
UV80+ Canopy
Granite base 125 Kg 80x80x8 cm
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

VENERE 3x3 / CODE: PARVEN



KG 130,0 | unit 1+1+1 0.30 mc

P1 A10 P12 A14







Parasolcollection
// Marte

Finishing

Aluminium frame

A12 white
A13 dove
A14 grahite
A15 mokka

Waterproof fabric canopy

P1 white
P31 dove
P12 dark grey

Features

360°
3x3
optional

1-Telo 3x3 in tessuto da 250g in poliestere trattato in PU.
2-Optional: illuminazione a batteria ricaricabile.
3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
4-Basamento in cemento (90 kg) con ruote, di colore bianco o mokka in tinta alla struttura.
Il palo girevole permette all'ombrellone di ruotare di 360°.
5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.

Specifiche:
Palo in alluminio 80x65 mm
7 Stecche in alluminio 28x14 mm
Altezza ombrellone 290 cm
Telo UV80+
Basamento in cemento 90 kg 70x70x8 cm
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

1-Canopy 3x3 in 250g polyester with PU coating.
2-Optional: umbrella lights with rechargeable battery.
3-Retractable opening system allows umbrella closure parallel to the pole.
Canopy opening/closure with removable hand crank.
4-Concrete base (90kg) with wheels, available in white or mokka colour.
Turning pole allows parasol a 360° rotation.
5-Optional: umbrella Bluetooth speaker with led lights.

Technical specifications:
Aluminium Pole 80x65 mm
No.7 aluminium ribs 28x14 mm
Parasol height 290 cm
UV80+ Canopy
Concrete base 90 Kg70x70x8 cm
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

MARTE 3x3 / CODE: PARMAR



KG 116,0 | unit 1+1+1 0.28 mc

P1 A12 | P31 A13 | P31 A15 | P12 A14














Parasolcollection
// Vulcano

Finishing

Aluminium frame

A12

white

Waterproof fabric canopy

P1

white

Features

360°

50°

3x3

optional

1-Telo 3x3 in tessuto da 250g in poliestere trattato in PU.
2-Optional: illuminazione a batteria ricaricabile.
3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
Inclinabile fino a 50° su ambedue i lati.
4-Basamento con crociera in acciaio colore bianco. Per una stabilità ottimale si consiglia l'utilizzo di n.4 piastre in graniglia 50x50x4cm (pesi non inclusi).
Il palo girevole permette all'ombrellone di ruotare di 360°.
5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.

Specifiche:
Palo in alluminio 80x60 mm
8 Stecche in alluminio 20x14 mm
Altezza ombrellone 280 cm
Telo UV80+
Basamento con 4 piastre in graniglia
50x50x4 cm (pesi non inclusi)
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

1-Canopy 3x3 in 250g polyester with PU coating.
2-Optional: umbrella lights with rechargeable battery.
3-Retractable opening system allows umbrella closure parallel to the pole.
Canopy opening/closure with removable hand crank. Reclining up to 50° on both sides.
4-Steel white cross base with 4 grit plates. For a better stability we racommend you to use 4 grit plates 50x50x4cm (weights not included).
Turning pole allows parasol a 360° rotation.
5-Optional: umbrella Bluetooth speaker with led lights.


Technical specifications:
Aluminium Pole 80x60 mm
No.8 aluminium ribs 20x14 mm
Parasol height 280 cm
UV80+ Canopy
Base with 4 grit plates in size
50x50x4 cm(Weights not included)
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

VULCANO 3x3 / CODE: PARVUL



KG 24,0 | unit 1 0.17 mc

P1 A12



2


2


3


3


4


5

Parasolcollection
// Apollo

Finishing

Aluminium frame

A12	A13	A14	A23
white	dove	grahite	teak wood

Waterproof fabric canopy

P1	P12	P31
white	dark grey	dove

Features





1 - Telo 2x2 in tessuto da 220g in poliestere trattato in PU.
2 - Sistema di apertura semplice ed intuitivo, spingere il tetto dell'ombrellone verso l'alto finché il meccanismo non si arresta.
3 - Puntale in alluminio cromato.
4 - Basamento in acciaio colore da 40 kg.

Specifiche:
Palo in alluminio ø 38 mm
4 Stecche in alluminio ø 20 mm
Altezza ombrellone 245 cm
Telo UV80+
Basamento in acciaio 40 kg 50x50x2 cm
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

1 - Canopy 2x2 in 250g polyester with PU coating.
2 - Easily parasol opening: push upwards the parasol roof until it locks.
3 - Chrome-plated alu tip.
4 - Steel base 40 Kg.

Technical specifications:
Aluminium pole diam. 38 mm
Parasol height 250 cm
No. 4 aluminium ribs diam. 20 mm
UV80+ Canopy
Steel base 40 Kg 50x50x2 cm
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.

APOLLO 2x2 / CODE: PARAPO



KG 41,0 | unit 1 0.10 mc





